

Anti – mouse IgG, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW366	1mg	Biotin	¥36,000	ELISA, IC, IH, WB	
KW366-0.5	500ug	Biotin	¥29,000	ELISA, IC, IH, WB	
Host	: Goat	Specificity	: Mouse IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:200-1000
WB	1:200-400
IC	1:200-1000
Direct ELISA	1:5000-20000

Anti – rabbit IgG, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW367	1mg	Biotin	¥36,000	ELISA, IC, IH, WB	
KW367-0.5	500ug	Biotin	¥29,000	ELISA, IC, IH, WB	
Host	: Goat	Specificity	: Rabbit IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:200-1000
WB	1:200-400
IC	1:200-1000
Direct ELISA	1:5000-20000

Anti – mouse IgM, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW368	500ug	Biotin	¥87,000	ELISA, IC, IH, WB	
KW368-0.25	250ug	Biotin	¥55,000	ELISA, IC, IH, WB	
Host	: Goat	Specificity	: Mouse IgM		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:200-1000
WB	1:200-400
IC	1:200-1000
Direct ELISA	1:5000-20000

Anti – rat IgG, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW369	1mg	Biotin	¥36,000	ELISA, IC, IH, WB	
KW369-0.5	500ug	Biotin	¥29,000	ELISA, IC, IH, WB	
Host	: Rabbit	Specificity	: Rat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:200-1000
WB	1:200-400
IC	1:200-1000
Direct ELISA	1:5000-20000

Anti – goat IgG, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW370	1mg	Biotin	¥36,000	ELISA, IC, IH, WB	
KW370-0.5	500ug	Biotin	¥36,000	ELISA, IC, IH, WB	
Host	: Rabbit	Specificity	: Rat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:200-1000
WB	1:200-400
IC	1:200-1000
Direct ELISA	1:5000-20000

Anti – human IgG, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW371	1mg	Biotin	¥36,000	ELISA, IC, IH, WB	
KW371-0.5	500ug	Biotin	¥36,000	ELISA, IC, IH, WB	
Host	: Rabbit	Specificity	: Rat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:200-1000
WB	1:200-400
IC	1:200-1000
Direct ELISA	1:5000-20000

Anti – human IgA, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW372	1mg	Biotin	¥44,000	ELISA, IC, IH, WB	Discontinued
Host	: Goat	Specificity	: Human IgA		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

IH	1:100-200
WB	1:200-400
IC	1:100-200
Direct ELISA	1:5000-20000

Anti – human IgM, biotin conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW373	500ug	Biotin	¥87,000	ELISA, IH, WB	※
KW373-0.25	250ug	Biotin	¥55,000	ELISA, IH, WB	
Host	: Goat	Specificity	: Human IgM		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: Biotin : Ab = 20 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

※ 2009/7/27, we changed price, volume, application..

Recommended Dilutions

IH	1:100-200
WB	1:200-400
Direct ELISA	1:1000-2000

Anti – mouse IgG, peroxidase conjugated (γ-chain specific)

Cat No.	Size	Conjugation	Price	Application	Note
KW374	1mg	Peroxidase	¥55,000	ELISA, IH, WB	
KW374-0.5	500ug	Peroxidase	¥39,000	ELISA, IH, WB	
Host	: Goat	Specificity	: Mouse IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:500-3000
WB (Enhanced chemiluminescent coloration)	1:3000-10000
Direct ELISA (TMB coloration)	1:20000-40000

Anti – rabbit IgG, peroxidase conjugated (γ-chain specific)

Cat No.	Size	Conjugation	Price	Application	Note
KW375	1mg	Peroxidase	¥55,000	ELISA, IH, WB	
KW375	500ug	Peroxidase	¥39,000	ELISA, IH, WB	
Host	: Goat	Specificity	: Rabbit IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:500-3000
WB (Enhanced chemiluminescent coloration)	1:3000-10000
Direct ELISA (TMB coloration)	1:20000-40000

Anti – rat IgG, peroxidase conjugated (γ-chain specific)

Cat No.	Size	Conjugation	Price	Application	Note
KW376	1mg	Peroxidase	¥55,000	ELISA, IH, WB	
KW376-0.5	500ug	Peroxidase	¥39,000	ELISA, IH, WB	
Host	: Rabbit	Specificity	: Rat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:500-3000
WB (Enhanced chemiluminescent coloration)	1:3000-10000
Direct ELISA (TMB coloration)	1:20000-40000

Anti – goat IgG, peroxidase conjugated (γ-chain specific)

Cat No.	Size	Conjugation	Price	Application	Note
KW377	1mg	Peroxidase	¥55,000	ELISA, IH, WB	
KW377-0.5	500ug	Peroxidase	¥39,000	ELISA, IH, WB	
Host	: Rabbit	Specificity	: Goat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:500-3000
WB (Enhanced chemiluminescent coloration)	1:3000-10000
Direct ELISA (TMB coloration)	1:20000-40000

Anti – human IgA, peroxidase conjugated (α-chain specific)

Cat No.	Size	Conjugation	Price	Application	Note
KW378	500ug	Peroxidase	¥49,000	ELISA, IH, WB	※
KW378-0.25	250ug	Peroxidase	¥36,000	ELISA, IH, WB	
Host	: Goat	Specificity	: Human IgA		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

※ 2009/7/27, we changed price, volume, application..

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:300-1000
WB (Enhanced chemiluminescent coloration)	1:2000-4000
Direct ELISA (TMB coloration)	1:20000-40000

Anti – human IgG, peroxidase conjugated (γ -chain specific)

Cat No.	Size	Conjugation	Price	Application	Note
KW379	1mg	Peroxidase	¥55,000	ELISA, IH, WB	
Host	: Rabbit	Specificity	: Human IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:500-3000
WB (Enhanced chemiluminescent coloration)	1:3000-10000
Direct ELISA (TMB coloration)	1:20000-40000

Anti – human IgM, peroxidase conjugated (μ -chain specific)

Cat No.	Size	Conjugation	Price	Application	Note
KW380	500ug	Peroxidase	¥49,000	ELISA, IH, WB	※
KW380-0.25	250ug	Peroxidase	¥36,000	ELISA, IH, WB	
Host	: Goat	Specificity	: Human IgM		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:300-1000
WB (Enhanced chemiluminescent coloration)	1:2000-4000
Direct ELISA (TMB coloration)	1:20000-40000

※ 2009/7/27, we changed price, volume, application..

Anti – avidin, peroxidase conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW381	1mg	Peroxidase	¥55,000	ELISA, IH, WB	
KW381-0.5	500ug	Peroxidase	¥39,000	ELISA, IH, WB	
Host	: Rabbit	Specificity	: Avidin		
Isotype	: –	Clonality	: –		
Contents	: 0.01M PBS(pH7.4); 1% BSA.				
Purity	: –				

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
IH (paraffin-fixed section)	1:100-200
IH (frozen-fixed section)	1:100-500
WB (DAB coloration)	1:500-3000
WB (Enhanced chemiluminescent coloration)	1:3000-10000
Direct ELISA (TMB coloration)	1:20000-40000

Anti – mouse IgG, colloidal gold conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW382	1ml	5nm colloidal gold	¥44,000	EM, IH	
KW383	1ml	10nm colloidal gold	¥44,000	EM, IH	
Host	: Goat	Specificity	: Mouse IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

[5nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100
[10nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100

Anti – rabbit IgG, colloidal gold conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW384	1ml	5nm colloidal gold	¥44,000	EM, IH	
KW385	1ml	10nm colloidal gold	¥44,000	EM, IH	
Host	: Goat	Specificity	: Rabbit IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

[5nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100
[10nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100

Anti – goat IgG, colloidal gold conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW386	1ml	5nm colloidal gold	¥44,000	EM, IH	
KW387	1ml	10nm colloidal gold	¥44,000	EM, IH	
Host	: Rabbit	Specificity	: Goat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

[5nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100
[10nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100

Anti – human IgG, colloidal gold conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW388	1mg	5nm colloidal gold	¥44,000	EM, IH	Discontinued
KW389	1mg	10nm colloidal gold	¥44,000	EM, IH	Discontinued
Host	: Rabbit	Specificity	: Human IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Formulation	: Lyophilized from neutral PBS.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions	
[5nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100
[10nm colloidal gold]	
Electron Microscopy	1:20-50
IH	1:50-100

Anti – mouse IgG, FITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW390	1mg	FITC	¥49,000	FCM, IC, IF, IH	
KW390-0.5	500ug	FITC	¥36,000	FCM, IC, IF, IH	
Host	: Goat	Specificity	: Mouse IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions	
FCM	1:100
IC	1:32-64
Indirect IF	1:32-64
IH	1:32-64

Anti – rabbit IgG, FITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW391	1mg	FITC	¥49,000	FCM, IC, IF, IH	
KW391-0.5	500ug	FITC	¥36,000	FCM, IC, IF, IH	
Host	: Goat	Specificity	: Rabbit IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions	
FCM	1:100
IC	1:32-64
Indirect IF	1:32-64
IH	1:32-64

Anti – rat IgG, FITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW392	1mg	FITC	¥55,000	FCM, IC, IF, IH	
KW392-0.5	500ug	FITC	¥39,000	FCM, IC, IF, IH	
Host	: Rabbit	Specificity	: Rat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions	
FCM	1:100
IC	1:32-64
Indirect IF	1:32-64
IH	1:32-64

Anti – goat IgG, FITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW393	1mg	FITC	¥49,000	FCM, IC, IF, IH	
KW393-0.5	500ug	FITC	¥36,000	FCM, IC, IF, IH	
Host	: Rabbit	Specificity	: Goat IgG		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions	
FCM	1:100
IC	1:32-64
Indirect IF	1:32-64
IH	1:32-64

Anti – human IgA, FITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW394	500ug	FITC	¥55,000	FCM, IC, IF, IH	
KW394-0.25	250ug	FITC	¥39,000	FCM, IC, IF, IH	
Host	: Goat	Specificity	: Human IgA		
Isotype	: IgG	Clonality	: Polyclonal Antibody		
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions	
FCM	1:100
IC	1:16
Indirect IF	1:16
IH	1:16

Anti – human IgG, FITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW395	1mg	FITC	¥49,000	FCM, IC, IF, IH	
KW395-0.5	500ug	FITC	¥36,000	FCM, IC, IF, IH	
Host	: Rabbit		Specificity	: Human IgG	
Isotype	: IgG		Clonality	: Polyclonal Antibody	
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

FCM	1:100
IC	1:32
Indirect IF	1:32
IH	1:32

Anti – human IgM, FITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW396	500ug	FITC	¥55,000	FCM, IC, IF, IH	
KW396-0.25	250ug	FITC	¥39,000	FCM, IC, IF, IH	
Host	: Goat		Specificity	: Human IgM	
Isotype	: IgG		Clonality	: Polyclonal Antibody	
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

FCM	1:100
IC	1:32
Indirect IF	1:32
IH	1:32

Anti – mouse IgG, TRITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW397	1mg	TRITC	¥74,000	IC, IF, IH	
KW397-0.5	500ug	TRITC	¥46,000	IC, IF, IH	
Host	: Goat		Specificity	: Mouse IgG	
Isotype	: IgG		Clonality	: Polyclonal Antibody	
Contents	: FITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

IC	1:32-64
Indirect IF	1:32-64
IH	1:32-64

Anti – rabbit IgG, TRITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW398	1mg	TRITC	¥74,000	IC, IF, IH	
KW398-0.5	500ug	TRITC	¥46,000	IC, IF, IH	
Host	: Goat		Specificity	: Rabbit IgG	
Isotype	: IgG		Clonality	: Polyclonal Antibody	
Contents	: TRITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all goat serum proteins				

Recommended Dilutions

IC	1:64
Indirect IF	1:64
IH	1:64

Anti – goat IgG, TRITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW399	1mg	TRITC	¥74,000	IC, IF, IH	
KW399-0.5	500ug	TRITC	¥46,000	IC, IF, IH	
Host	: Rabbit		Specificity	: Goat IgG	
Isotype	: IgG		Clonality	: Polyclonal Antibody	
Contents	: TRITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

IC	1:64
Indirect IF	1:64
IH	1:64

Anti – human IgG, TRITC conjugated

Cat No.	Size	Conjugation	Price	Application	Note
KW400	1mg	TRITC	¥74,000	IC, IF, IH	
KW400-0.5	500ug	TRITC	¥46,000	IC, IF, IH	
Host	: Rabbit		Specificity	: Human IgG	
Isotype	: IgG		Clonality	: Polyclonal Antibody	
Contents	: TRITC : Ab = 4-6 : 1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.				
Purity	: Immunoaffinity chromatography which remove essentially all rabbit serum proteins				

Recommended Dilutions

IC	1:16
Indirect IF	1:16
IH	1:16

Our International Distributor



COSMO BIO CO., LTD.
Inspiration for Life Science

http://www.cosmobio.co.jp/index_e.asp

2-20, Toyo 2-Chome, Koto-Ku , Tokyo 135-0016, JAPAN

TEL : +81-(0)3-5632-9617

FAX : +81-(0)3-5632-9618

E-mail : export@cosmobio.co.jp (International customers)
info@cosmobiousa.com (Only USA customers)

SCETI
Create Value with Venture Mind

<http://www.sceti.jp/export/>

3-6-7 Kasumigaseki, Chiyoda-ku Tokyo 100-0013 JAPAN

TEL : +81-(0)3-5510-2347

FAX : +81-(0)3-5510-0133

E-mail : exp-pet@sceti.co.jp

antibodies-online.com

<http://www.antibodies-online.com/>

TEL : +49 (0)241 95 163 153

FAX : +49 (0)241 95 163 155

E-mail : info@antibodies-online.com

Technical Information

 **Trans Genic Inc.**

<http://www.transgenic.co.jp>

7-1-14 Minatojimaminami-machi, Chuo-ku, Kobe, 650-0047 Japan

TEL : +81-(0)78-306-0295

FAX : +81-(0)78-306-0296

E-mail : techstaff@transgenic.co.jp